## **WEST Search History**

DATE: Thursday, May 01, 2003

Set Name side by side	Query	Hit Count	Set Name result s t
DB=USP OP=ADJ	T,PGPB,JPAB,EPAB,DWPI; THES=ASSIGNEE; PLUR=YES;		
L8	wine same baffle	24	L8
L7	ferment\$5 same wine same baffle	3	L7
L6	13 and baffle	1	L6
L5	13 and baffle	1	L5
L4	L3 and pomace	5	L4
L3	L2 and ferment\$4	59	L3
L2	cap same wine	697	L2
L1	wine same cap near3 (seeds or skins or stems) same pomace	0	L1

END OF SEARCH HISTORY

	Hits Search Text			
L		Search Text	DB	Time stamp
Number				
1 `	0	Walden-Daniel.in.	USPAT;	2003/05/01
			US-PGPUB;	18:00
			EPO; JPO;	
			DERWENT	

Generate Collection Print

L7: Entry 1 of 3

File: DWPI

Jun 27, 1995

DERWENT-ACC-NO: 1996-114787

DERWENT-WEEK: 199612

COPYRIGHT 2003 DERWENT INFORMATION LTD

TITLE: System for prodn of sparkling wine in continuous flow - has cylindrical reservoir with baffle forming two sections.

INVENTOR: ARESTOV, I V; ARESTOV, V L; ZENIN, V V

PATENT-ASSIGNEE: ARESTOV V L (ARESI)

PRIORITY-DATA: 1992RU-0002665 (October 28, 1992)

PATENT-FAMILY:

PUB-NO PUB-DATE LANGUAGE PAGES MAIN-IPC

RU 2038370 C1 June 27, 1995 004 C12G001/06

APPLICATION-DATA:

PUB-NO APPL-DATE APPL-NO DESCRIPTOR

RU 2038370C1 October 28, 1992 1992RU-0002665

INT-CL (IPC): C12 G 1/06

ABSTRACTED-PUB-NO: RU 2038370C

BASIC-ABSTRACT:

The unit has a vertical cylindrical reservoir (1) with a conical bottom, fermenting mixture supply pipe (3) and the wine to be sparkled supply pipe, a scatterer (4) connected to pipe (3), and packing (6) fitted on the grid (7) in the reservoir forming a biogeneration zone. The reservoir has a baffle (2) in 3/5 of its upper part forming two sections. The scatterer is made as two half rings and is situated in one of the sections forming secondary fermentation zone. The grid is semi-circular and is fitted on the reservoir wall and the baffle in the second section lower part.

USE - For sparkling wine production.

ADVANTAGE - The product quality is increased.

ABSTRACTED-PUB-NO: RU 2038370C EQUIVALENT-ABSTRACTS:

CHOSEN-DRAWING: Dwg.1/2

DERWENT-CLASS: D16 CPI-CODES: D05-E;